




IFW

Attorney Docket No. R2005-700010

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant: Peter L. Rosenblatt  
Serial No.: 09/539,748  
Filed: March 31, 2000  
For: SYSTEMS AND METHODS FOR SOFT TISSUE RECONSTRUCTION  
Examiner: Andrea M. Ragonese  
Art Unit: 3743  
Confirmation No.: 9371

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to Mail Stop Issue Fee, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313 on September 27, 2005.

  
Christopher R. Rhodes

**Mail Stop Issue Fee**  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450


**TRANSMITTAL**

Transmitted herewith are the following documents in connection with the above-identified patent application:

- ☒ Response to Notice of Drawing Inconsistency with Specification
- ☒ Return Receipt Postcard.

If the enclosed papers are considered incomplete, the Mail Room and/or the Application Branch is respectfully requested to contact the undersigned at (617) 395-7000. A check is not enclosed. If a fee is required, the Commissioner is hereby authorized to charge Deposit Account No. 50/2762, Ref. No. R2005-700010. A duplicate copy of this transmittal is enclosed.

Respectfully submitted,  
**Peter L. Rosenblatt, Applicant**

By:   
Thomas M. Sullivan, Reg. No. 39,392  
Christopher R. Rhodes, Reg. No. 47,022  
LOWRIE, LANDO & ANASTASI, LLP  
One Main Street  
Cambridge, MA 02142  
Tel.: (617) 395-7035  
Fax: (617) 395-7070

Dated: September 27, 2005  
772160.1



**UNITED STATES PATENT AND TRADEMARK OFFICE**

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND  
DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

**NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION**

The drawings filed 07-18-2002 have been received. However, an inconsistency exists between the drawings and the Brief Description of the Drawings in the specification.

Figures \_\_\_\_\_ are listed in the Brief Description of the Drawings in the specification but not contained in the Drawings.

Figure 17C is contained in the Drawings but not listed in the Brief Description of the Drawings in the specification.

Applicant is required to correct the above-noted inconsistency within a time period of **ONE MONTH or THIRTY (30) DAYS, whichever is longer**, from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. **NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b)**

Failure to correct the above noted inconsistency will result in **abandonment** of the application.

The file will be held in the Publishing Division to await the correction of the inconsistency.

**Return Corrected Drawings/Specification to:**

Mail Stop Issue Fee  
Commissioner for Patents  
P.O. Box 1450

Alexandria, VA 22313-1450

Office of Patent Publication/Publishing Division  
Customer Service: 703-308-6789  
1-888-786-0101

FORM PTO-1631 (REV. 10-03)